



RBP Chemical Technology, Inc.
150 S. 118th Street • P.O. Box 14069
Milwaukee, WI 53214-0069
www.rbpchemical.com
Corporate: 414-258-0911
Fax: 414-258-7908
RBP East: 508-865-0800

Product Data Sheet

Date: 08/03/11
Supersedes: 08/26/10
PRODUCT #: J5096

AQUANOL® ZERO

Zero VOC Alcohol Replacer

Description:

A zero VOC alcohol replacer for use on sheetfed presses. **AQUANOL ZERO** can replace alcohol and/or alcohol replacers containing VOC's on both conventional and continuous type dampening systems. This product contains no solvents such as glycols or glycol ethers that attack inks or rubber roller compounds.

Directions for Use:

Mix 1 to 4 ounces/gallon of **AQUANOL ZERO** into the press ready mix. Normal starting dosage is 2 ounces per gallon. To decrease water setting or reduce lead edge toning, increase dosage by 1 ounce per gallon. If ink emulsification or roller stripping occurs decrease dosage by 1 ounce per gallon. For excellent results, use with an RBP **AQUA SERIES** fountain concentrate. Contact an RBP technical representative for recommendations.

Specifications:

Appearance:	Light amber yellowish liquid
Density:	8.5 lbs/gal
VOC Content: (EPA Method 24)	None
Flash Point:	None

This product should be used only for its intended purpose. The information stated above is based on our laboratory tests and experience, and is accurate to the best of our knowledge. Since actual use is beyond our control, the recommendations or suggestions are made without warranty, expressed or implied.